



VACCINES REQUIRED FOR CHILD CARE/PRESCHOOL ATTENDANCE¹

July 1, 2008 – June 30, 2009

Month, Day & Year are required for documentation of all vaccines.

Ages	By 3 Months of Age	By 5 Months of Age	By 7 Months of Age	By 16 Months of Age	By 19 Months of Age	By 7 Years OR Kindergarten Entry ²	
Vaccine³	1 dose Hep B May get at birth.	2 doses Hep B May get as early as 2 months.			3 doses Hep B	3 doses Hep B May complete series as early as 6 months.	
	1 dose DTaP	2 doses DTaP	3 doses DTaP May get as early as 6 months.		4 doses DTaP May get as early as 12 months.	5 doses DTaP If 4 th dose of DTaP is received before the 4 th birthday, a 5 th dose is required by the 7 th birthday or school entry.	
	1 dose Hib	2 doses Hib	3 doses Hib	4 doses Hib One dose of Hib is required IF the only dose has been given on or after 15 months of age.		Hib is not given after 5 years of age.	
	1 dose Polio	2 doses Polio May get as early as 4 months.			3 doses Polio May get as early as 6 months.	4 doses Polio	
	MMR is not given before 12 months of age.				1 dose MMR Must be received on or after the first birthday (4 day grace applies). Must be given the same day or at least 28 days before or after Varicella (4 day grace does not apply).		2 doses MMR Both doses must be received on or after the first birthday AND at least 28 days apart.
	Varicella is not given before 12 months of age.				1 dose Varicella Must be received on or after the first birthday (4 day grace applies). Must be given the same day or at least 28 days before or after MMR (4 day grace does not apply). Parent-reported history of disease NOT acceptable. Provider diagnosis/verification of disease is acceptable.		2 doses Varicella Both doses must be received on or after the first birthday AND at least 28 days apart. (The recommended interval is 3 months.)

¹ To attend public/private school or licensed child care in WA State, each child must present a signed **Certificate of Immunization Status form** showing proof of 1) full immunization per the 2007 Recommended Childhood Immunization Schedule (<http://www.doh.wa.gov/cfh/immunize/schools/vaccine.htm>), 2) an initiation of a schedule of immunization, 3) a medical exemption (with health care provider signature), **OR** 4) personal or religious exemption (with a parent/guardian signature).

² School-aged children in before-and after-school programs must meet the immunization requirements for their grade in school.

³ There is no maximum interval between doses. Even if the recommended interval is not met, the series does not have to be restarted.



VACCINES REQUIRED FOR SCHOOL ATTENDANCE, GRADES K-12¹

July 1, 2008 – June 30, 2009

Month, Day & Year are required documentation of all vaccines.

VACCINE ²	Kindergarten (Ages 4-6)	1 st -2 nd Grade (Ages 6-7)	3 rd -5 th Grades (Ages 7-10)	6 th Grade (Ages 11-12)	7 th Grade (Ages 12-13)	8 th -11 th Grades (Ages 13-16)	12 th Grade (Ages 17-18)
HEPATITIS B <ul style="list-style-type: none"> Series must NOT be completed in less than 4 months. Series should be completed within 9 months of starting school. 	<p style="text-align: center;">3 doses 2nd dose can be given 1-3 months after the 1st dose. 3rd dose must be given at or after 24 weeks of age. 3rd dose must be given at least 2 months after the 2nd dose. 3rd dose must be given at least 4 months after the 1st dose.</p>						Recommended, but not required
DTaP/DT/Td/Tdap <ul style="list-style-type: none"> Those older than 7 should not receive DTaP. After the 7th birthday, children should receive Td or Tdap. 	4 doses DTaP IF the last dose is given on or after the 4 th birthday.	3 doses DTaP, DT or Td IF the last dose is given on or after the 4 th birthday.	3 doses DTaP, DT or Td IF the last dose is given on or after the 4 th birthday AND 1 dose Tdap IF student is 11 years old and IF it has been at least 5 years since the last DTaP, DT or Td.	3 doses DTaP, DT or Td IF the last dose is given on or after the 4 th birthday. Tdap may substitute for 1 of the 3 doses.			
POLIO (IPV or OPV) <ul style="list-style-type: none"> Students 18 years and older are not required to have IPV or OPV. 	<p style="text-align: center;">4 doses IF all doses are given before the 4th birthday. 3 doses IF the last dose is given on or after the 4th birthday.</p>						
MMR <ul style="list-style-type: none"> Blood test (titer) showing immunity to measles, mumps or rubella is acceptable. 	<p style="text-align: center;">2 doses 1st dose must be given on or after the 1st birthday (4 day grace applies). 2nd dose must be given at least 28 days after the 1st dose (4 day grace DOES NOT apply).</p>						
VARICELLA <ul style="list-style-type: none"> Varicella must be received the same day as MMR OR at least 28 days apart (4 day grace DOES NOT apply). The minimum interval between varicella doses for children < 13 years of age is 28 days (recommended interval is 3 mos). Blood test (titer) showing immunity to varicella and/or provider diagnosis/verification of disease is acceptable. 	2 doses Must be given on or after the 1 st birthday (4 day grace applies). Parent-reported history of disease NOT acceptable.	1 dose Must be given on or after the 1 st birthday (4 day grace applies). Parent reported history of disease is acceptable.	Recommended, but not required	1 dose Must be given on or after the 1 st birthday (4 day grace applies). Parent reported history of disease is acceptable.	Recommended, but not required		

¹ To attend public/private school or licensed child care in WA State, each child must present a signed **Certificate of Immunization Status form** showing proof of 1) full immunization per the 2007 Recommended Childhood Immunization Schedule (see <http://www.doh.wa.gov/cfh/Immunize/schools/vaccine.htm>), 2) an initiation of a schedule of immunization, 3) a medical exemption (with health care provider signature), **OR** 4) personal or religious exemption (with a parent/guardian signature).

² There is no maximum interval between doses. Even if the recommended interval is not met, the series does not need to be restarted. Vaccine doses given ≤ 4 days before the minimum interval or age are valid, except for the intervals between MMR doses, varicella doses and MMR and varicella doses.